

(12) **UK Patent Application** (19) **GB** (11) **2 134 916 A**

(21) Application No **8402686**

(22) Date of filing **1 Feb 1984**

(30) Priority data

(31) **8303014**

(32) **3 Feb 1983**

(33) **United Kingdom (GB)**

(43) Application published  
**22 Aug 1984**

(51) **INT CL<sup>3</sup>**

**C11D 10/02 (C11D 10/02  
1/00 3/06)**

(52) Domestic classification

**C5D 6A1 6A4A 6A5C**

**6A5D1 6A5D2 6B12A**

**6B12B1 6B12B3 6B12F1**

**6B12F2 6B12G2A**

**6B12G3 6B12G6 6B12K2**

**6B12L 6B12N3 6B1 6B2**

**6C8**

(56) Documents cited

**GB 1126479**

**GB 0985503**

(58) Field of search

**C5D**

(71) Applicant

**Reckitt & Colman**

**Products Limited,**

**(United Kingdom),**

**PO Box 26,**

**1—17 Burlington Lane,**

**London,**

**W4 2RW**

(72) Inventors

**Robert Victor Cook,**

**Jane Harmer**

(74) Agent and/or address for  
service

**I. R. Nightingale,**

**Reckitt & Colman plc,**

**Patents Department,**

**Dansom Lane,**

**Hull,**

**HU8 7DS**

(54) **Liquid shampoo compositions**

(57) Hair or body shampoo  
compositions having an upper  
aqueous layer and a lower aqueous  
layer which are temporarily dispersible  
one in the other upon agitation of the  
composition and wherein each layer is

miscible with water in substantially all  
proportions. The upper layer has  
dissolved therein at least one  
detergent. The lower layer contains  
sodium hexametaphosphate dissolved  
therein. The compositions have  
cleansing properties and impart a  
conditioning effect.

**GB 2 134 916 A**

## SPECIFICATION

### Liquid cleansing compositions

This invention relates to multilayer liquid cleansing compositions in which one liquid phase is dispersible in another liquid phase upon shaking the composition and which on standing separate out into distinct layers. More particularly the invention relates to shampoo compositions for use on the body and hair. 5

Multilayer cleansing compositions have been proposed in which one layer is miscible in all proportions with water whilst another layer being of an oily nature is immiscible with water. The oily layer may comprise paraffin oil, certain esters or silicone oils. Typically the lower layer comprises a water-miscible layer including water as solvent and containing dissolved detergent whilst a water-immiscible oil-rich phase floats on the aqueous phase. Examples of such compositions include bath shampoos which are added to bath water to afford body cleansing and which provide a film of oil which is retained on the skin upon emerging from the bath to condition and/or perfume the skin; and hair shampoos where the oily layer serves to condition and/or groom the hair. An Example of such a hair shampoo occurs in United States of America Specification No. 3810478 in which the upper layer relies for its integrity upon a major amount of a mineral oil. A disadvantage of such oily materials in formulations is that they can leave an unsightly ring on the bath after use and in hair shampoos for use on naturally greasy heads are not necessarily a desirable component. 10 15

United States Patent No. 4348292 described multilayer compositions for heavy duty cleaning in the form of a single-dose concentrate for addition to water to provide a cleansing solution or dispersion. The concentrate has two aqueous layers, one layer containing at least one surfactant and the other layer containing at least one detergent builder. Preferred compositions were those in which the surfactant layer contains 50—90% by weight of surfactant and the detergent builder layer contains 30—80% by weight of detergent builder. These compositions are claimed to have enhanced cleansing efficacy as compared with homogeneous compositions, however, there is no guidance given on other than single dose presentations. In stepping from a single-dose unit to a multidose unit problems can arise in ensuring a uniform fill of each phase into the container and more importantly, in the case of a shampoo composition in ensuring that the proper dose of each phase is dispensed from the container when in use. 20 25

The specification of West German Patent Application No. 1617327 discloses a hair treatment composition containing 0.05 to 2.0% of certain metal polyphosphates of formula  $M_{n+2}P_nO_{3n+1}$ , wherein  $n$  is unspecified and  $M$  represents an alkali metal ion. Such compositions are intended to be applied to hair newly washed with soapless detergent, rinsed with water and squeeze-dried and impart conditioning effects. The specification is emphatic that the treatment is conducted as a separate step and no further rinsing is to be carried out before drying, setting etc. Furthermore, the specification advises that only ineffective amounts of the generically disclosed polyphosphates may be included into a hair shampoo formulation. A disadvantage of this disclosure is the necessity for a separate "conditioner" rinse step. 30 35


During our investigations into shampoo compositions suitable for use by those persons desirous of frequent washing of their hair, compositions were developed which were two phase and which contained a variety of detergent builders. Most unexpectedly it was found that compositions containing sodium hexametaphosphate as the detergent builder exhibit conditioning effects on hair. Moreover such compositions may be used in a conventional manner, that is, simply applied to the wetted hair then worked up to a lather and rinsed out with a copious supply of clear water. Thus the feel and the manageability of hair so washed is improved. 40 45

Accordingly the present invention provides a liquid shampoo composition having an upper aqueous layer and lower aqueous layer, which are temporarily dispersible one in the other upon agitation and wherein each layer is miscible with water in substantially all proportions, said upper layer having dissolved therein at least one detergent and said lower layer containing sodium hexametaphosphate dissolved therein. 50

Preferably, the dispersion resulting from the agitation of the layers is stable for sufficient time to allow uniform filling of the compositions into containers so that on standing the relative ratios of the phases within the containers are constant. This avoids the problem of having to fill each container separately with predetermined amounts of two different concentrates.

Desirably each of the upper and lower layers is substantially transparent. As will be discussed in detail later the relative ratios of the phases is dependent upon the nature and amounts of various components present. 55

Sodium hexametaphosphate is the term applied to a mixture of condensed phosphates of the formula:—



solubilise a treatment compound such as coal tar, or to solubilise a perfume.

To safeguard against decomposition of components in the presence of heavy metal ions, a strong sequestering agent therefor may be incorporated without seriously disturbing the phase volume ratio. Suitable sequestering aids include ethylenediaminetetraacetic acid; the aminomethylene

- 5 phosphonates such as those manufactured by Albright and Wilson under their trade mark Briquest, for example acetoethylenediaminetetramethylenephosphonic acid, and acetodiphosphonic acid; trinitriloacetic acid and the like. The free acid may be added as such or it may be added in the form of an alkali metal salt. The amount of sequestering aid employed is of the order up to 1.00% w/w of the total composition expressed as free acid, preferably about 0.5% w/w.
- 10 The invention is illustrated by the following Examples in which percentages are weight/weight. 10

#### Example 1

A hair shampoo was prepared having the following composition:

		%	
	Triethanolamine lauryl sulphate (40% aqueous solution)	26.88	
15	Ethoxylated cocomonethanolamide sulphate triethanolamine salt (40% aqueous solution)	8.75	15
	Coconut diethanolamide	2.50	
	Ethoxylated coconut monoethanolamide	1.00	
	Colour, perfume	qs	
20	Sodium hexametaphosphate (40% aqueous solution)	35.00	20
	Water	balance to 100%	

- The composition was prepared by mixing thoroughly together with stirring all the components with the exception of coconut diethanolamide, ethoxylated cocomonethanolamide and perfume which were preblended prior to addition to the rest of the components. The composition was filled
- 25 directly into bottles whilst maintaining the stirring or the final filling operation can be from a well stirred reservoir. The ratio of the volumes of the upper phase to the lower was 6:4. The viscosity of the shampoo was 1750 centipoise. 25

**Example 2—7**

Shampoos of the following compositions were prepared by the method of Example 1.

	2	3	4	5	6	7
Triethanolamine lauryl sulphate (40% aqueous solution)	23.57	—	—	—	26.0	—
Ethoxylated cocomonethanolamide sulphate-triethanolamine salt (40% aqueous solution)	8.9	—	—	—	8.0	—
Coconut diethanolamide	3.0	2.5	3.0	3.0	2.5	3.5
Sodium hexametaphosphate (40% aqueous solution)	18.0	40.0	40.0	40.0	20.0	35.0
Trisodium phosphate	0.1	—	—	—	8.0	—
Sodium dihydrogenphosphate	10.0	—	—	—	—	—
Colour, perfume	qs	qs	qs	qs	qs	qs
Sodium hydroxide	7.0	—	—	—	—	—
Cetyltrimethylammonium bromide	—	14.0	—	—	—	—
Ethoxylated coconut monoethanolamide	—	1.0	0.75	0.75	1.0	2.0
Diethanolamine lauryl sulphate (33% aqueous solution)	—	—	42.65	—	—	—
Dodecylbenzenesulphonate—triethanolamine salt (60% aqueous solution)	—	—	—	24.17	—	—
Imidazoline betaine (40% aqueous solution).	—	—	—	—	—	36.0
Water	—	—	—	—	—	—
	balance to 100					

qs to pH

The seven Examples afford mild shampoos with gentle cleansing agents which cleanse the hair without stripping it of its natural oil and which contain non oily conditions to maintain its condition. They are also useful for people who wash their hair very frequently and only a single application is necessary. Thus excessive defatting of the hair and/or skin is obviated.

## 5 Examples 8, 9

5

Shampoos of the following compositions were prepared by the method of Example 1.

		8 % w/w	9 % w/w	
10	Triethanolamine lauryl sulphate	26.9	26.9	10
	Acylaminopolyglycoether sulphate, triethanolamine salt	8.8	8.8	
	Coconut diethanolamide	2.5	2.5	
	Ethoxylated coconut monoethanolamide	1.0	1.0	
	Sodium hexametaphosphate	16.0	16.0	
15	Acetodiphosphonic acid	0.5	—	15
	Ethylenediaminetetracetic acid	—	0.5	
	Perfume	qs	qs	
	Colourant	qs	qs	
	Preservative	qs	qs	
	Water	ad 100%	ad 100%	

20 These Examples produce mild shampoo compositions of pH about 6.5, the components of which are at acceptable concentrations and the compositions are of a viscosity to be expected by users. They also are useful for people who wash their hair very frequently and only a single application is necessary at each washing. Thus excessive defatting of the hair and/or skin is obviated. 20

## Claims

- 25 1. A liquid shampoo composition having an upper aqueous layer and a lower aqueous layer, which are temporarily dispersible one in the other upon agitation and wherein each layer is miscible with water in substantially all proportions, said upper layer having dissolved therein 8% to 25% by weight of the composition of at least one detergent and said lower layer containing at least 6% by weight of the composition of sodium hexametaphosphate dissolved therein. 25
- 30 2. A shampoo composition according to claim 1 wherein in a detergent builder salt selected from ammonium, sodium or potassium chlorides, sulphates, metaphosphates or orthophosphates is present in amount such that together with the sodium hexametaphosphate it represents 8% to 25% by weight of the composition. 30
- 35 3. A shampoo composition as claimed in claim 2 wherein the total weight of sodium hexametaphosphate and optional detergent builder salt(s) is from 14 to 20% by weight of the composition. 35
- 40 4. A shampoo composition as claimed in any preceding claim wherein the detergent is selected from ammonium, substituted ammonium or sodium lauryl sulphates, or ethoxylated derivatives thereof containing up to 6 ethoxyl groups per mole, substituted ammonium such as the tri- and/or diethanolamide salts of sulphated ethoxylated coconut monoethanolamide containing up to ethoxyl groups per mole;  $\alpha$ -olefin sulphates and alkyl aryl sulphonates; imidazoline betaine or cetyltrimethyl ammonium bromide. 40
- 45 5. A shampoo composition as claimed in any one of the preceding claims wherein the total weight of the detergent(s) is from 10 to 18% by weight of the composition. 45
6. A shampoo composition as claimed in any one of the preceding claims wherein the dispersion resulting from the agitation of the layers has a viscosity of up to 3000 centipoise when measured on a Brookfield viscometer model RVT using spindle No. 3 at speed 20 at 20°C. 45
7. A shampoo composition as claimed in claim 6 wherein the viscosity of the said dispersion is in the range of from 1000 to 3000 centipoise.
- 50 8. A shampoo composition as claimed in any one of the preceding claims wherein the dispersion resulting from the agitation of the layers has a pH of from 6 to 7. 50
9. A shampoo composition as claimed in any one of the preceding claims which additionally contains a sequestering agent which is distributed between the two layers.
- 55 10. A shampoo composition as claimed in claim 9 wherein the sequestering agent is ethylenediamine tetracetic acid or acetodiphosphonic acid. 55
11. A shampoo composition substantially as described herein with reference to any one of Examples 1 to 9.
12. A method of washing hair which comprises shaking a shampoo composition as claimed in any one of the preceding claims to form a temporary dispersion, applying said so shaken composition

to moistened hair, working to a lather and rinsing with clear water whereby the hair is both washed and conditioned.

13. A method for the preparation of a shampoo composition as claimed in any one of claims 1 to 11 which comprises blending together at least one detergent in an amount to provide from 8% to 25% by weight of the total composition, sodium hexametaphosphate in an amount to provide at least 6% by weight of the total composition and any other desired Ingredients, adding water in the amount required to bring the composition to 100% by weight, stirring the mixture of components until a uniform dispersion is obtained and filling the so-produced composition into containers. 5
14. A method for the preparation of a shampoo composition as claimed in any one of claims 1 to 11 which comprises blending a 40% aqueous solution of at least one detergent and a 40% aqueous solution of sodium hexametaphosphate, optionally with the addition of any other desired ingredients, with water to form a uniform dispersion, the detergent forming 8% to 25% by weight of the total composition and the sodium hexametaphosphate forming at least 6% by weight of the total composition, and filling the so-produced composition into containers. 10
15. A method for the preparation of a shampoo composition substantially as described herein with reference to any one of Examples 1 to 9. 15